

CONTENTS

Biochemical Toxicity

- MUJEEB, K.A. AND SHAKOORI, A.R. Effect of fury, a synthetic pyrethroid, on esterases of different developmental stages of stored grain pest, red flour beetle, *Tribolium castaneum* (Herbst.) – Spectrophotometric analysis 601
 AWAN, D.A., SALEEM, M.A., NADEEM, M.S. AND SHAKOORI, A.R. Toxicological and biochemical studies on spinosad and synergism with piperonyl butoxide in susceptible and resistant strains of *Tribolium castaneum* 649
 MUJEEB, K.A. AND SHAKOORI, A.R. Effect of pirimiphos-methyl on esterases of different developmental stages of three strains of *Tribolium castaneum* (Herbst.) – An electrophoretic study 859

Marine Biology

- QURESHI, N.A. AND SAHER, N.U. Density, distribution and population biology of *Macrophthalmus (Venus)* dentipes Lucas, 1836, from Mangrove areas of Pakistan 615

Biochemistry / Physiology

- FIAZ, M., ABDULLAH, M., ALI, A., PASHA, T.N., JABBAR, M.A., BABAR, M.E., BHATTI, J.A. AND NASIR, M. Evaluating varying dietary energy levels for optimum growth and early puberty in Sahiwal heifers 625

Freshwater Biology

- ÖZLUĞ, O. The effect of dam construction on the Ostracoda (Crustacea) assemblages in Kazandere stream, Thracea, Turkey 635
 SULEHRIA, A.Q.K. AND MALIK, M.A. Population dynamics of planktonic rotifers in Balloki Headworks 663
 AL-GHANIM, K.A. Spatio-temporal distribution and composition of zooplankton in Wadi Hanifah stream Riyadh (Saudi Arabia) and Abu Zabaal Lakes (Egypt) 727

- CHAUDHRY, R. AND SHAKOORI, A.R. A new subspecies of a ciliate *Euplates musicola* isolated from industrial effluents 809

Human Genetics

- IMTIAZ, A. AND NAZ, S. A rapid and cost-effective protocol for screening known genes for autosomal recessive deafness 641

Parasitology

- BILQEES, F.M., KHALIL, B., KHAN, A. AND HASEEB, M.F. *Neodiploproctodaeum karachiensis* n. gen., n. sp. (Digenea: Lepocreadiidae) from the fish *Lagocephalus lunaris* (Tetradontiformes: Tetradontidae) from Karachi Coast, Pakistan 671
 BILQEES, F.M., HADI, R., KHAN, A. AND PERVEEN, S. Description of a new subfamily Heckmanninae (Monorchidae (Odhner, 1911) Nicoll, 1915) with a new genus and species from a freshwater fish of Sindh, Pakistan 723
 KHAN, U.J. AND AZHAR MAQBOOL, A. Prevalence of paramphistomosis in relation to meteorological factors 823
 TRIPATHI, P., PANDEY K.C. AND AGRAWAL, N. Monogenoidea on Indian siluriform fishes I: On a new species and designation of neotypes to some Indian species of the genus *Bychowskyella* Achmerow, 1952 (Monogenoidea: Dactylogyridae) 835
 ASMATULLAH-KAKAR, BILQEES, F.M. AND KHAN, A. On a new species of spirurid nematode *Rhabdochona (Rhabdochona) annai* (Spirurida: Thelazioidea) from freshwater Mahseer, *Tor putitora* (Ham.) 845

Continued on page 901

[Covered by ISI Web of Knowledge, Abstracted and indexed in *Biological Abstracts*, *Chemical Abstracts*, *Zoological Records*, *Information Retrieval Limited, London*, *Service Central De Documentation De L'ORSTOM, Paris* and *National Inquiry Services Centre, South Africa*, *Contents accessible via EBSCO host™*].

- ASMATULLAH-KAKAR, BILQEES, F.M.
AND KHAN, K. A new parasitic
nematode species *Rhabdochona*
pakistanica, new species from *Cyprinion*
watsoni (Osteichthyes: Cyprinidae) in
Central Balochistan851

Pathology

- MASOOD, A., SAEED, S., MAHMOOD, A.,
MALIK, S.A. AND HUSSAIN, N. Role
of nutrients in management of mango
sudden death disease in Punjab, Pakistan.....675
- JAHAN, S., AHMED, S., RAZZAQ, S. AND
AHMED, H. Adverse effects of arsenic
exposure on the mammary glands of adult
female rats691
- EBAID, H., AJAREM, J. AND TAWEEL,
G.A. Acute endotoxemia during gestation
induces organ dysfunction and tissue
damage in mouse offspring765

Entomology

- HAMEED, A., AZIZ, M.A. AND AHEER,
G.M. Impact of ecological conditions on
biology of cotton mealy bug, *Phenacoccus*
solenopsis (Hemiptera: Pseudococcidae)
in laboratory685
- UMAIR, M., ZIA, A., NAEEM, M. AND
CHAUDHRY, M.T. Species composition
of ants (Hymenoptera: Formicidae) in
Potohar Plateau of Punjab Province,
Pakistan699
- BASHIR, M.H., AFZAL, M. HONEY, S.F.
AND ASHFAQ, M. Description of two
new species (Hypopi) of genus *Acotyledon*
Oudemans (Acarina: Acaridae) from
Pakistan745
- TAHIR, H.M., BUTT, A., KHAN, S.Y.,
BHATTI, M.F. AND MUKHTAR, M.K.
Effect of tillage practice on the seasonal
dynamics of ground spiders (S.C.)884
- MANZOOR, F. AND AKHTAR, M.S.
Morphometric analysis for population
samples of imago caste of *Odontotermes*
feae (Wasmann) (Isoptera: Termitidae:
Macrotermitinae) (S.C.)887
- ATAY, E. AND YOLCU, S. Butterfly fauna of
the province of Hatay, Turkey and major
taxonomic characters of *Polyommatus*
bollandi Dumont, 1998 (Lycaenidae)
(S.C.)893
- SIAL, N. AND CHAUDHRY, M.S. A
preliminary report on the diversity of
spiders (Arachnida: Araneae) in the
Cholistan Desert, Pakistan (S.C.)896

Microbiology

- TANVIR, R., HAFEEZ, R. AND HASNAIN,
S. Prevalence of multiple drug resistant
Escherichia coli in patients of urinary tract
infection registering at a diagnostic
laboratory in Lahore, Pakistan707
- MEHMOOD, A., ANSARI, M.S., HUSSAIN,
T., AKHTER, S., KHAN, S.A., HASSAN,
S., KHAN, A.A. AND RAKHA, B.A.
Common shrew (*Suncus murinus*): A
potential reservoir of pathogenic bacteria
at poultry farms, Rawalpindi, Pakistan
(S.C.)879

Biotechnology

- GUL, A., BAIG, S., NAZ, M. AND
NADEEM, M. Efficient utilization of
dairy industry waste for hyper-production
and characterization of a novel cysteine
protease713

Biodiversity / Wildlife

- ANWAR, M.B., NADEEM, M.S., BEG, M.A.,
KAYANI, A.R. AND MUHAMMAD, G.
A photographic key for the identification
of mammalian hairs of prey species in
snow leopard (*Panthera uncia*) habitats of
Gilgit-Baltistan Province of Pakistan737
- MAHMOOD, T., HUSSAIN, R., RAIS, M.,
HUSSAIN, I. AND NADEEM, M.S.
Habitat analysis and population estimates
of three falcon species, red-headed Merlin
(*Falco chicquera*), Common Kestrel
(*Falco tinnunculus*) and Saker Falcon
(*Falco cherrug*), inhabiting District
Chakwal, Pakistan787
- MINHAS, R.A., AHMED, K.B., AWAN,
M.S., ZAMAN, Q., DAR, N.I. AND ALI,
H. Distribution patterns and population
status of the Himalayan Grey Langur
(*Semnopithecus ajax*) in Machiara
National Park, Azad Jammu and Kashmir,
Pakistan869
- MAHMOOD, T., SIDDIQ, M.K., RAIS, M.
AND NADEEM, M.S. Distribution and
relative abundance of freshwater turtles in
Korang River Islamabad-Rawalpindi,
Pakistan (S.C.)889

Pest & Pest Control

- FREED, S., SALEEM, M.A., KHAN, M.B.
AND NAEEM, M. Prevalence and
effectiveness of *Metarhizium anisopliae*
against *Spodoptera exigua* (Lepidoptera:
Noctuidae) in Southern Punjab, Pakistan753

- BARAN, S., AYYILDIZ N. AND KENCE, A.
Two new species and a new record of
oppoid mites (Acari: Oribatida) from
Turkey 777
- RASHID, M.M.U., KHATTAK, M.K. AND
ABDULLAH, K. Residual toxicity and
biological effects of neem (*Azadirachta*
indica) oil against cotton mealybug,
Phenacoccus solenopsis Tinsley
(Sternorrhyncha: Pseudococcidae)..... 837

Palaeontology

- BHATTI, Z.H., KHAN, M.A. AND AKHTAR,
M. *Hydaspitherium* (Artiodactyla,
Giraffidae) from the Dhok Pathan
formation of the middle Siwaliks,
Pakistan: New collection 799

Animal Diseases

- SHAHZAD, W., ASLAM, W., SHAKIL, M.,
MUNIR, R., AHMAD, S., AHMAD, I.,
KHAN, M.S. AND AHMAD, R. Sero-
prevalence of *Mycoplasma capricolum*
subspecies *capripneumoniae* in beetal and
beetal teddy cross goat breeds by latex
agglutination test in different Districts of
Punjab (S.C.)..... 881